

James Mesh

Task chair with mesh back

Design — Iiro Viljanen



The James task chair with mesh back looks light but offers very good support for the back. James is especially well suited for drop-in workstations, but also for longer sessions. Different seat and backrest sizes as well as mechanism options make the chair suitable for people of different sizes.



Möbelfakta

MATERIAL DESCRIPTION:

5-star base (ø 708 mm): black aluminium or plastic, polished aluminium, plastic parts black.
Armrests: upper part black, shaft black.
Seat: upholstered, backrest: black mesh.

CARBON FOOTPRINT:

James Mesh 1198: 117.54 kg CO₂e

PRODUCT CODE NUMBER:

1197 = without armrest
1198 = with armrest
1197P = without armrest, lumbar support
1198P = with armrest, lumbar support
1197N = without armrest, neckrest
1198N = with armrest, neckrest
1197NP = without armrest, lumbar support, neckrest
1198NP = with armrest, lumbar support, neckrest

ACCESSORIES:

- 2 seat size options (widths 44 and ~ 48,5 cm) and 2 mechanisms (flex and synchro easy)
 - With or without armrests, 2D and 4D rotating armrest types
 - Soft or hard castors, glides and foot ring
 - Telescopic and high columns as an option
 - Lumbar support
 - Neckrest
-

FABRIC CONSUMPTION:

0.5 m / pcs

ADJUSTMENTS:

Seat and backrest height adjustment, seat depth adjustment.
Armrest: 4D height, angle, depth and width adjustment, 2D height and width adjustment.
Additional adjustable lumbar support (depth adjustment) and height and depth adjustable neckrest.

Flex-mechanism: Weight-sensitive synchronized mechanism with lockable free float seat movement and seat angle adjustment. 4 locking positions of the backrest.


Synchro Easy -mechanism: Simple weight-sensitive synchronized mechanism with 3 backrest locking position.

WEIGHT:

16.7 kg

Dimensional drawing:

Työtuolien ominaisuuksia
Arbetsstolarnas egenskaper
Task chair properties



1192

A 41cm
B 35cm
C 44/49cm

D 39-52 cm
D 54-73cm*
D 69-80cm**
E 45 cm

F 7 cm
G 4 cm
H 7 cm

I 22°
J +0 / -6

K 10 cm
L 4.5 cm
M 360°

1194

A 42cm
B 45cm
C 44/49cm

D 39-52 cm
D 54-73cm*
D 69-80cm**
E 45cm

F 7 cm
G 4 cm
H 7 cm

I 22°
J +0 / -6

K 10 cm
L 4.5 cm
M 360°

1196

A 40cm
B 55cm
C 44/49cm

D 39-52 cm
D 54-73cm*
D 69-80cm**
E 45 cm

F 6 cm
G 4 cm
H 7 cm

I 22°
J +0 / -6

K 10 cm
L 4.5 cm
M 360°

1198

A 42cm
B 55cm
C 44/49cm

D 39-52 cm
D 54-73cm*
D 69-80cm**
E 45 cm

F 6 cm
G 4 cm
H 7 cm

I 22°
J +0 / -6

K 10 cm
L 4.5 cm
M 360°

* teleskooppivarsiputkella/ * med teleskoprör/ * with telescopic shaft

** korkealla varsiputkella/ **med långt stolsrör/ **with tall shaft