

# Logic 400

## Task chair



---

Logic 400 is an ergonomic task chair. The chair has a high back and an air-pump-adjustable lumbar support. It is designed for longer periods of sitting and its sturdy seat helps maintain a good pelvic position and ergonomically supports movements in a variety of work tasks.

---

### MATERIAL DESCRIPTION:

**Armrests:** black, button grey.

Seat and front side of the backrest upholstered, back side of the backrest black plastic or fully upholstered.

**5-star base (ø 700 mm):** painted black or grey or polished aluminium.

---

### PRODUCT CODE NUMBER:

**135** = without armrest,

**136** = with armrest,

**137** = without armrests, XL-seat

**138** = with armrests, XL-seat

**B** = neckrest

**T** = fully upholstered back

---

### ACCESSORIES:

Support for lower back adjustable by air pump (standard in the 400), adjustable neckrest, larger XL seat (4 cm longer, 2 cm wider), coat hanger, low, telescopic or high column, foot ring and fully upholstered backrest, rotating armrests, glides, soft or hard castors.

---

### FABRIC CONSUMPTION:

0.9 m / pcs

---

### ADJUSTMENTS:

Seat height and depth adjustment, seat and backrest tilt adjustment (separately, stepless), backrest height adjustment, swing function (stepless locking), tension control, armrest height, angle, depth and width adjustment.

---

### WEIGHT:

21.8 kg



---

### DESIGN AWARDS:

FIRA Ergonomics Excellence Award, UK

Dimensional drawing:

Työtuolien ominaisuuksia  
Arbetsstolarnas egenskaper  
Task chair properties



**300**

A 44cm  
B 51cm  
C 46cm

D 41-52 cm  
D 53-71cm\*  
D 67-77cm\*\*  
D 38-46cm\*\*\*  
E 47 cm

F 7,5 cm  
H 10 cm

I 17°  
J +7° / -14°

K 10 cm  
L 13 cm  
M 360°

**400**

A 44cm  
B 62cm  
C 46cm

D 41-52 cm  
D 53-71cm\*  
D 67-77cm\*\*  
D 38-46cm\*\*\*  
E 47 cm

F 6 cm  
G 4 cm  
H 10 cm

I 17°  
J +7° / -14°

K 10 cm  
L 13 cm  
M 360°

\* teleskoopivarsiputkella/ \* med teleskoprör/ \* with telescopic shaft  
\*\* korkealla varsiputkella/ \*\*med långt stolsrör/ \*\*with tall shaft  
\*\*\* matalalla varsiputkella/ \*\*\*med lågt stolsrör/ \*\*\*with low shaft